

# Antioxidants form olive waste

## Contents

- 1 **Objective**
- 2 Search methodology
- 3 **Background**
- 4 **Antioxidants in olive waste**
- 5 **Concept table**
- 6 **IPC class codes**
- 7 **US class codes**
- 8 Search strategy
- 9 Final Query
- 10 **Interactive Taxonomy**
- 11 **Relevant Patents (sample set)**
- 12 **Sample patent analysis sheet**
- 13 Assignee Analysis and IP Activity
- 14 Dashboard
- 15 **Patent Product Mapping**
- 16 **Articles Search**
  - ◆ 16.1 Relevant articles
- 17 **Purchase Information**

## Objective

To create a technology landscape report on **Antioxidants form Olive waste**

- Identify market players with prolific IP activity in the technology area
- Segment the players by the industry they belong to

**Note:** This report is just a template and gives an indication of what the paid report contains.

[Click here](#) for information to purchase the report

## Search methodology

<b>Search strategy</b>	1. Various keywords are retrieved for conducting the search related to antioxidants from olive waste from pubmed mesh, relevant patents, scientific articles and thesaurus. 2. The database used for patent search is Thomson innovation.
<b>Keywords</b>	Olive waste, By-products, Antioxidants etc.


## Background

Fruit and vegetable processing has increased considerably during the last 25 years and this generates substantial quantities of waste/by-products. These wastes are often disposed of as landfill, land-spreading, or as animal feed or fertilizers. But in last few years, efficient, inexpensive and environmentally sound utilization of these materials is becoming more important and hence new methods for waste handling and treatment have been introduced in the recovery, bioconversion, and utilization of valuable constituents from food wastes. [Waldron](#)



*Olea europaea L.* is a typical tree widely cultivated for oil production in the Mediterranean area, they are rarely consumed as a natural fruit due to their extreme bitterness hence they are widely used for the extraction of oil [Bouaziz et al.](#) This olive oil industry generates large amounts and varieties of wastes, which remain most of potentially interesting compounds.

- Olive oil production products Taka:
  - ◆ **Olive oil** (20%).
  - ◆ **Semi-solid waste** (30%)
  - ◆ **Aqueous liquor** (50%).



- **Solid waste** (olive oil **cake** (OOC) or **orujo**?) is a combination of **olive pulp** and **stones**.
- **Aqueous liquor** comes from the **vegetation water** and **alpechin** or **olive-mill waste water** (OMWW).
- Two-phase processing technique in which no water is added, generates oil and a new by-product called **alperujo**, **alpeorujo** or twophase olive mill waste? which is a combination of liquid and solid waste. [Bolanos et al](#)

## Antioxidants in olive waste

During the production of olive oil 80% of the olive fruit is discarded as waste, over 10 million tons per year of solid or semisolid wastes are produced worldwide in the olive industry, whose storage and/or recycling represent a serious environmental problem due to its high content in organic matter. However these wastes are rich in **polyphenols**, including **hydroxytyrosol** [Schaffer et al](#). Olive fruits, olive leaves, olive oil and olive mill wastewater all of them have attracted considerable attention as valuable sources of biophenols [Bouaziz et al](#). Biophenolic fraction of olive oil comprises only 1-2% of the total phenolic content of the olive fruits, while the remaining 53% and 45% being lost in oil mill waste (OMW) and olive cake. Consequently, with more than **30 phenolic** compounds, OMW is now regarded as a potent source of natural antioxidants. [Taka](#)

**Oleuropein** is the major secoirid compound of unripe olive fruit and the glucoside of **hydroxytyrosol** is the predominant phenolic in ripe olives. Olive fruits also contain other secoiridoids such as **verbascoside** and **ligustroside**. Other groups of phenolic compounds are derived from **cinnamic** (p-cumaric, ferulic and caffeic acid) and **benzoic** acids. Other phenols found in olive pulp are **catechol**, **methylcatechol**, **phenylalchols** (tyrosol, hydroxytyrosol), high concentrations of **flavonoids** and several **anthocyanin** pigments. The main phenolic compounds present in virgin olive oil are **tyrosol**, hydroxytyrosol, its secoiridoids and conjugate forms (oleuropein, ligustroside, verbascoside) and **lignans** (pinosresinol and acetopinosresinol). During the olive oil mechanical process, the major proportion of the phenolic compounds are found in the aqueous phase, while only a minor percent (<1%) are located in the olive oil this explains why a large fraction of phenolics can be found in the **alpechin** and **alperujo**. Therefore, both residues seem to be an affordable and abundant source of natural antioxidants [Bolanos et al](#).

## Polyphenols present in different parts of olive plant



Olive Bark	Olive Branches	Olive stones
Hydroxytyrosol	Hydroxytyrosol	Pinoresinol
Tyrosol	Tyrosol	Hydroxy pinoresinol
Oleuropein	Oleuropein	
Ligstroside	Verbascoside	
	Taxifolin	

## Concept table

Title : Antioxidants from olive waste

S.No	English Keywords				German Keywords			French Keywords		
	Concept One	Concept Two	Concept Three	Concept Four	Concept Two	Concept Three	Concept Four	Concept Two	Concept Three	Concept Four
1	Olive	Waste	Antioxidant	Recovery	Abfall	Antioxidans	Erholung	déchets	antioxydant	Récupération
2	<i>Olea europaea L</i>	By-product	Phenols	Removal	Nebenprodukt	Phenole	Entfernung	Par-produit	phénols	suppression
3	*****	*****	*****	*****	****	*****	****	***	*****	*****
4	*****	***	*****	***	*****	*****	*****	****	****	*****

- An indicative list of terms to show how a concept table is generated. View paid report for complete list.
- Concept Table was enriched by searches related to olive waste and antioxidants from pubmed mesh, relevant patents, scientific articles and various thesauri

## IPC class codes

Concept	Code	Definition
Waste	C02F	Treatment of water, waste water, sewage, or sludge
	103/32	<ul style="list-style-type: none"> <li>• Nature of the water, waste water, sewage or sludge to be treated <ul style="list-style-type: none"> <li>◆ From the food or foodstuff industry, e.g. brewery waste waters</li> </ul> </li> </ul>
Olive	A61K	Preparations for medical, dental, or toilet purposes
	36/63	<ul style="list-style-type: none"> <li>• Medicinal preparations of undetermined constitution containing material from algae, lichens, fungi or plants, or derivatives thereof <ul style="list-style-type: none"> <li>◆ Oleaceae (olive family), e.g. Jasmine, lilac or ash tree</li> </ul> </li> </ul>
Antioxidant	A61K	Preparations for medical, dental, or toilet purposes
	31/05	<ul style="list-style-type: none"> <li>• Medicinal preparations containing organic active ingredients <ul style="list-style-type: none"> <li>◆ Phenols</li> </ul> </li> </ul>
Removal Process	C02F	Treatment of water, waste water, sewage, or sludge
	1/04	<ul style="list-style-type: none"> <li>• Treatment of water, waste water, or sewage <ul style="list-style-type: none"> <li>◆ By distillation or evaporation</li> </ul> </li> </ul>

## US class codes

Concept	Codes	Definition
Waste	554	Organic compounds
	554/177	Recovering from industrial waste materials
Olive	424	Drug, bio-affecting and body treating compositions
	424/769	Containing or obtained from a tree having matured height of a least two meters
Antioxidant	424	Drug, bio-affecting and body treating compositions

	424/725	Plant material or plant extract of undetermined constitution as active ingredient
<b>Removal Process</b>	210	Liquid purification or separation
	210/600	processes

- An indicative list of various class codes used for the IP search. View paid report for complete list.

## Search strategy

- **Search Engine:** Thomson Innovation
- **Database Coverage:** US, Europe, German, Japanese and Korean applications and granted patents
- **Scope:** Title, Abstract and Claims
- **Timeline :** 1900 to 2011
- **Date of search :** 20/09/2011

S.No	Concept	Query	No of Hits
1	Full keywords ( <b>Olive + Waste + Antioxidants + Removal process</b> )	Olive***	#####
2	( <b>Olive + Waste + Antioxidants</b> ) keywords AND ( <b>Removal process</b> ) class codes	Olive*** AND C02F000100***	###
3	( <b>Olive + Waste + Removal process</b> ) keywords AND ( <b>Antioxidants</b> ) class codes	Olive*** AND A61K003105***	####
4	( <b>Olive + Removal process + Antioxidants</b> ) keywords AND ( <b>Waste</b> ) class codes	Olive**** AND C11B001300****	##
5	( <b>Waste + Antioxidant + Removal process</b> ) keywords AND ( <b>Olive</b> ) class codes	Waste*** AND A61K003663****	####
6	Combined query	2 OR 3 OR 4 OR 5	####
7	Not query	1 NOT 6	###( Non relevant patents)
8	( <b>Olive + Waste + Antioxidants</b> ) keywords AND ( <b>Applications</b> ) class codes	Olive**** AND A61Q***	###
9	Combined query	6 OR 8	#### (### unique hits)

- Search using German keywords
- Search using French keywords
- Search with F-Terms
- Micropat Search

## Final Query

- Year : 1900 to 2011

S.No	Scope	Query	No of Hits
1	Claims, Abstract and Title	(English) OR (Japanese) OR (French) OR (German)	#### (#### unique hits)

## Interactive Taxonomy

```
.markmap-node {
  cursor: pointer;
}

.markmap-node-circle {
  fill: #fff;
  stroke-width: 1.5px;
}

.markmap-node-text {
  fill: #000;
  font: 10px sans-serif;
}
```

```

.markmap-link {
  fill: none;
}

pre, .mw-code{
  background-color: transparent;
}
d3.xml("https://www.dolcera.com/wiki/images/Antioxidants_from_olive_waste.mm", function(error, data) {
  if (error) throw error;

  markmap("svg#mindmap_867d507c5adfdc3aa580ce92e6e712a7", data, {
    preset: "colorful",
    linkShape: "diagonal"
  }, "xml");
});

```

## Relevant Patents (sample set)


S.No	Patent/ Publication Number	Assignee/Applicant	Publication Year	Title	Focus	Summary
1	<a href="#">EP2338500</a>	Phenofarm S.r.l., Romani, Annalisa, Pizzichini, Massimo	2011	Process for producing concentrated and refined actives from tissues and byproducts of <i>Olea europaea</i> with membrane technologies	Producing powders and concentrated solutions consisting active compounds.	Powder and concentrated solutions containing antioxidants (hydroxytyrosol, oleuropein etc) are extracted from olive tree residues by integrating various separation techniques such as micro, nano filtration and reverse osmosis.
2	<a href="#">US20100240769</a>	Phenoliv AB, Lund (SE)	2010	Olive waste recovery	Isolation of polyphenols and dietary fibers from olive mill waste	Ployphenols (PP) and deitary fibers (DF) are extracted simultaneously from olive mill waste water using solvent extraction procedure, separation of PP from DF is effected through centrifugation and precipitation process.

## Sample patent analysis sheet

- [Sample analysis sheet](#)


## Assignee Analysis and IP Activity

- *Labels for all the charts below are available in the paid report.*
- **The following graphs explain the placement of the different assignees in this area.**




Top 20 Assignees in this area

• The graphs given below explain the IP activity in this area over the years.




IP activity based on Publication Year

## IP activity based on Priority Year



IP activity based on Priority Year


### • Geographical distribution of Patents



Geographical distribution of Patents

- Top Cited patents

◇ Patents with the maximum number of forward citations were determined and the graph shows the top 13 patents with corresponding assignees.



Top cited patents

### Dashboard

- The assignees have been categorized into following areas:

1. Food Companies
2. Cosmetic Companies
3. Nutraceutical companies
4. Pharmaceutical Companies
5. Agriculture and veterinary nutrition Companies
6. Chemical and Biotechnology companies
7. Universities and Research Institutes

A data preview of the dashboard is shown below:



**Data Filters**

Search in: Title, Abstract, Claims

- Antioxidants from olive waste (23)
  - Cosmetic Industry (47)
  - Food Industry (54)
  - Nutraceutical (36)
  - Pharmaceutical (28)
  - Agriculture and veterinary nutri
  - Chemical and Biotechnology (2)
  - Universities and Research Inst

Add Edit Delete Get Info

ALL COMPANIES (227)

- (Company Title) (28)
- (No Company) (1)
- Advanced Biomultin Euro Ltd (1)
- Alliance Boots (2)
- Amanden Int Inc (3)
- Antas Pharma Sa (2)
- Arloxy Inc (1)

No Date Filter

All Patent Types

All Tags

---

**Antioxidants from olive waste Information**

Feedback

Charts Data Add

Patents	Publication	Title	Assignee
<input type="checkbox"/>	EP2363135A1	Anti-jellyfish compositions	Antonio Puig
<input type="checkbox"/>	JP2001026518A	Preparation composition for external use for skin	Dhc Co
<input type="checkbox"/>	JP2008063295A	Skin care preparation containing platinum/silver colloid   topical external preparation containing platinum / silve	Dhc Co
<input type="checkbox"/>	CN101874768A	Oil-control cosmetic composition	Guangdong M
<input type="checkbox"/>	DE10257736A1	No title available	Henkel
<input type="checkbox"/>	US20040234466A1	Beta-glucuronidase inhibitors for use in deodorants and antiperspirants	Henkel
<input type="checkbox"/>	IN200301884P4	No title available	Henkel
<input type="checkbox"/>	EP1428520A3	Lipase inhibitors in deodorants and antiperspirants	Henkel

**EP2363135A1**  
Anti-jellyfish compositions

Priority Date (y-m-d): 2010-03-01  
First Inventor: Ginestar Gonz&Atilde;&Acirc;&xiexcl;ez, Jos&Atilde;&Acirc;&copy;

US Class (primary): Not available  
IPC Class (primary): A61K0033

**Abstract:**  
The present invention provides the use of a topical composition comprising an effective


**Claims:**

1. Use of a topical composition comprising an effective amount of an extract, together with appropriate topical pharmaceutically and/or acceptable carriers and/or excipients, for avoiding the sting of poison that contain cnidocysts.
2. Use of the composition according to claim 1, wherein the cnidocyst organism selected from the group consisting of Cnidaria and Myxozoa.
3. Use of the composition according to any of the claims 1-2, wherein is selected from those that contain glycyrrhizate, hydroxytyrosol an

**Dolcera Summary**  
Not available


Rating: -- Tags: Notes:

A chart preview of the dashboard is shown below:




Distribution of patents between assignees

## Distribution of patents based on Assignee Categorization




Distribution of patents based on Assignee categorization


### • Top 5 players in Food, Cosmetic and Nutraceutical Sectors:



Top 5 food Assignees




Top 5 cosmetic Assignees



Top 5 nutraceutical Assignees



## Geographical distribution of Assignees



Geographical Distribution of Assignees

### Patent Product Mapping

- Some products with respect to this technology area were identified and mapped to the patents from their respective assignees.

S.NO	Patent No	Title	Assignee	Products	Product Image
1	<a href="#">AU2007203440</a>	Method of obtaining a hydroxytyrosol-rich composition from vegetation water	Creagri Inc	HIDROX	
8	<a href="#">JP2001026518</a>	Preparation Composition for external use for skin	DHC CO	Olive Leaf Milk	

- [Please click here for detailed Patent-Product highlight](#)

### Articles Search

Search Strategy


- **Database** : Scirus
- **Timeline** : 1990 - 2011
- **Subject Areas** : Agricultural and Biological Sciences, Chemistry and Chemical Engineering, Engineering, Energy and Technology, Environmental Sciences, Life Sciences, Medicine, Pharmacology.

S.No	Concept	Search string	No of Hits
1	(Olive + Waste + Antioxidants) Keywords	("Olive*" OR "Olea europaea"*****) And ("waste*" OR "by product"*****) And ("antioxidant"*****)	### (##% Relevancy)

### Relevant articles

[Click here to download the relevant articles sheet](#)

- The following graphs explain the placement of different Research Institutes and Universities in this area.



Top Research Institutes and Universities in this area

### Purchase Information

Contact information for purchasing this report:

- Email: [info@dolcera.com](mailto:info@dolcera.com)
- Phone: +1-650-269-7952, +91-40-2355-3493